

GLASS SURFACE MOUNT TALON SPIGOT INCLUDES:


1/2 — 11/16 — 3 3/4 1 15/16 — 2 11/16 — 3 3/4


• 1 MAIN ASSEMBLY


• MALE / FEMALE PRESSURE PLATES

• NYLON INSERTS FOR ½ GLASS

• NYLON INSERTS FOR %16 GLASS









VIEWRAI	GLASS PA N/A	NEL #:				PIECE COUNT: N/A		VIEWRAIL	
DRAWN BY: JJJ	DATE: 5/3/20	DATE: 5/3/2019		GLASS THICKNESS: 1/2" OR 9/16"					
	·	GLASS TYPE: LAMINATED OR TEMPERED							
		SYSTEM HEIGHT: 36" / 39" / 42"					CUSTOMER APPROVAL REQUESTED: N/A		
			SIZE:	SCALE: 1/2	ORDER NUMBER: N/A		REV:		
				•					

4

GENERAL NOTES:

- 1. GLASS THICKNESS IS $\frac{1}{2}$ " (12mm) OR $\frac{9}{16}$ " (15mm), AND MUST BE TEMPERED OR LAMINATED SAFETY GLASS.
- 2. SPECIFICATIONS ARE FOR COMPONENTS ONLY, FASTENING TO THE SUPPORT STRUCTURE IS A SITE CONDITION AND THE INSTALLERS MUST ENSURE THAT THE FASTENERS ARE ADEQUATE TO RESIST THE DESIGN LOADS.
- 3. THE MATERIAL TO WHICH THE GLASS SUPPORTS ARE BEING FASTENED MUST ADEQUATELY RESIST THE DESIGN LOADS.
- 4. ALL (4) FASTENING LOCATIONS IN TALON MUST BE POPULATED.
- 5. 54" MAXIMUM PANEL WIDTH WITH TOP RAIL / CAP
- 6. 48" MAXIMUM PANEL WIDTH WITHOUT TOP RAIL / CAP


3/8 X 5" SPAX POWER LAG HEX WASHER DRIVE

> WOOD CONCRETE


CONCRETE WEDGE ANCHOR 3/8 x 3 1/2"

NON-COMPESSABLE FLOORING MATERIAL

NON-COMRESSABLE FLOORING MATERIAL



RECCOMENDED FASTENER MINIMUM MOUNTING CONDITIONS REQUIRED SURFACE MOUNT SYSTEM TYPE INSTALLATIONS



VIEWRAIL		GLASS PANEL #: N/A		PIECE COUNT: N/A		VIEWRAIL			
DRAWN BY: JJJ		DATE: 5/3/2019	GLASS THICKNESS: 1/2" OR 9/16"						
			GLASS TYPE: LAMINATED OR TEMP	ERED					
			SYSTEM HEIGHT: 36" / 39" / 42"		CUSTOMER APPROVAL REQUESTED: N/A				
				RDER NUMBER: N/A	REV:				

Д