
## Interior Spiral - Part Dimensions





VIEWRAIL	Part Name: Part Description:	Tolerand .X" .XX" .XXX" .XXX"	e: +/03" +/015" +/005" +/- 1/16"
Sheet 1 of 6	Material:	X° Or as Sp	+/- 0.5° ecified

#### **System Features**:

Tread Min. Width: 26"

Tread Max. Width: 48"

Tread Thickness: 2.5"


Tread Min. Rise: 7"


Tread Max. Rise: 9.5"

System Min. Radius: 180 Deg.

System Max. Radius: n/a


Min. Headroom: 6' 6"






VIEWRAIL	Part Name:	Tolerance:	
	Part Description:	XX" +/- XXX" +/-	+/03" +/015" +/005" +/- 1/16"
Sheet 2 of 6	Material:	X° Or as Sp	+/- 0.5°


## Interior Spiral - Mounting Plate






VIEWRAIL	Part Name: Part Description:	Tolerand .X" .XX" .XXX" .XXX"	ce: +/03" +/015" +/005" +/- 1/16"
Sheet 3 of 6	Material:	X° Or as Sp	+/- 0.5°


# Interior Spiral - Center Tube Mounting






	Part Name:	Tolerance	
	Part Description:		+/03" +/015"
VIEWRAIL			+/005"
Sheet 4 of 6	Material:		+/- 1/16" +/- 0.5°
		Or as Spe	ecified

## Interior Spiral - Center Support





VIEWRAIL	Part Name: Part Description:	Tolerand .X" .XX" .XXX" .XXX"	e: +/03" +/015" +/005" +/- 1/16"
Sheet 5 of 6	Material:	X° Or as Sp	+/- 0.5° ecified

### Interior Spiral - Tread Support

